



Arboricultural Impact Assessment For Proposed development at 1 Plane St Blackwall NSW

Prepared for
Claire & Chris Madin

By

Michael Shaw
Diploma Horticulture (Arboriculture) AQF5

19 March 2026

Contents

1. Brief	3
2. Scope	3
3. The proposed development	3
4. Site description	3
5. Site visit details	4
6. Main documents utilised	4
7. Methodology	5
7.1. All tree assessments were carried out utilising the following methods.....	5
7.2. Measurements and observations were taken using	5
7.3. Data collection and encroachment calculation	5
8. Trees potentially affected by the proposed development.....	6
9. General Tree Protection Instructions	9
10. Tree protection zone information	10
10.1. Activities prohibited within the Tree Protection Zone	11
References.....	11
Qualifications and experience (Michael Shaw).....	13
Appendix 1 Tree AZ	14
Appendix 2 Landscape significance and tree retention determination.....	15
Appendix 3 Tree survey data table	16
Appendix 4 Images (Tree protection plan / Google Earth image with plans and tree locations overlaid)	18

Michael Shaw AQF5 Consulting Arborist_ [Mobile 0403 39114](tel:040339114)_ [Email consultingarborist@outlook.com](mailto:consultingarborist@outlook.com)

1. Brief

- 1.1. I am requested by Andrew Moseley from Suburban Projects, on behalf of the property owners (Claire & Chris Madin), to identify and assess all trees at or near 1 Plane St Blackwall that will be potentially affected by the proposed development, and to provide an arboricultural impact assessment which discusses relevant aspects of the proposed development's impact on existing trees.

2. Scope

- 2.1. This report focuses on trees within and close to the subject site that may be affected by the proposed development.

All trees were assessed visually from ground level in accordance with Mattheck and Breloer's Visual Tree Assessment methodology.

No excavation or invasive testing was conducted as a part of the visual tree assessment.

3. The proposed development

- 3.1. The proposed development is for alterations and additions to the existing structure and landscaping improvements including the addition of a pool and a new driveway and hardstand parking area.

The proposed development is located within the residential suburb of Blackwall in the Central Coast local government area.

Two existing trees at or near the site will be affected if the proposed development occurs as planned.

4. Site description

- 4.1. The subject site (1 Plane St Blackwall) is a residential property.

Trees at the site are located mainly on the periphery of the subject property, and on Council's nature strip and consist of a mixture of native and non-native, planted and self-sown mature and immature trees.

At the time of writing this report, the site is **not** within a NSW Rural Fire Service (RFS) 10/50 Clearing entitlement area and is therefore **not** subject to the vegetation clearing exemptions that apply.

5. Site visit details

- 5.1. One site visit was made by the author on 3 March 2026 for the purposes of data collection and tree assessment for this document.

During this visit, tree location and other data was collected and assessments undertaken for the subject trees in relation to the proposed development.

The weather at the time of the site visit was fine and the effect of wind was negligible.

Site location (Google maps)



6. Main documents utilised

The following documents were provided for the author's information by Andrew Moseley from Suburban Projects,

- Design drawings Revision "1" (11 sheets), by Suburban Projects, dated 19/02/2026
- Survey by Cahill & Cameron dated 21/07/2025

Other documents and information may have been provided, however the main ones used to assist the author with this assessment are listed above.

These documents were provided to the author in electronic format via email.

7. Methodology

7.1. All tree assessments were carried out utilising the following methods

- Visual Tree Assessment Method (VTA) (Mattheck and Breloer,)
- Tree AZ (Barrell)
- Significance and retention value were assessed using STARS (IACA 2010)
- No aerial inspections, root excavations or soil sampling were conducted as part of this assessment
- Tree identification was based on visual inspection of features available at the time of inspection. A complete taxonomical process of identification was not conducted; therefore, the identification of trees in this document represents the probable identity of the species.

7.2. Measurements and observations were taken using

- Positioning and data recording conducted using a GPS PDA device.
- Binoculars and naked eye
- DBH (Diameter at Breast Height) was measured with a diameter tape or estimated at approx. 1.4 metres above existing levels
- Tree height and canopy spread was estimated or measured using a laser range finder and an inclinometer and/or based on surveyor's estimates

7.3. Data collection and encroachment calculation

All assessed and recorded trees have been identified with a number which corresponds with the number on the tree survey data table at Appendix 3 and its location at the subject site may be viewed on the aerial image at Appendix 4 Images.

The author attempted to locate the trees as accurately as possible by using Google Earth in conjunction with plan drawings and provided professional survey images, which were overlaid using the tools available in the Google Earth application. These images were placed manually, as accurately as possible and cross referenced with the location point data collected by the author and displayed on the Google Earth interface screen.

Measurements to the nearest TPZ/SRZ disturbance was measured using tools available in the Google Earth application and encroachment percentages were calculated using the "Proofdocs" TPZ Incursion Calculator which is available online.

8. Trees potentially affected by the proposed development

Discussion

8.1. Tree 1

Is a mature brush box which is located on the nature strip just outside the south western corner boundary of the subject property.

This tree will experience an encroachment of around 18% into its total NRZ (notional root zone) area from soil disturbance necessary to install the proposed nearby driveway and hardstand carport parking area.

The encroachment also affects the SRZ.

The calculated encroachment, although categorised as a “moderate encroachment” (as defined at 3.3.5 of AS4970-2025), is slightly in excess of what would be considered a “minor” encroachment and it should be sustainable if protected and managed appropriately.

Existing soil levels beneath the existing crossover will remain unaltered and a widened section of driveway is proposed to be installed to the south of the existing crossover, within the SRZ of the tree. This is in order to facilitate vehicular access to the proposed carport.

It is proposed to install this section of crossover/driveway utilising sensitive methods and permeable pavers, with installation to occur under the direct supervision of the project AQF5 arborist.

This species is anecdotally very robust and there is a substantial area of soil and roadway adjacent to, and contiguous with the tree's NRZ area that, will not be affected by any proposed works.

This area can be incorporated into the TPZ to help offset and compensate for the calculated encroachment.

Works occurring within the SRZ area shall be conducted under direct supervision of the project AQF5 arborist and any soil disturbance which is necessary to facilitate installation of the new section of crossover and widened section of driveway shall be conducted sensitively and under direct supervision of the project AQF5 arborist.

Any excavation within the SRZ in order to prepare the soil for the proposed hard surface which will consist of permeable pavers, is proposed to be minimal and shall be as shallow as possible, in order to prevent damage to structural roots that may be present.

This tree may be protected and retained if protected by a tree protection zone (TPZ) which complies with Section 4 of AS4970.

A physically fenced (1.8m high temporary cyclone fencing) tree protection zone (TPZ) shall be established before any works commence and shall remain in place until completion of the project.

The dimensions of the TPZ shall be to the dimensions specified at Appendix 3; Tree Survey Data Table and placement shall be as indicated at Appendix 4 Images.

Ground protection to protect the soil within the TPZ may be utilised as an alternative to erecting a fenced exclusion zone if the practicalities of the development process necessitates it.

Where ground protection is utilised, it shall be in the form of a thick (100mm to 200mm) layer of woodchip or leaf mulch.

Any works or activity proposed to occur within the TPZ other than works evident on the plans are to be conducted sensitively and in consultation with, or under direct supervision by an AQF5 consulting arborist.

No activity as specified at Section 10 of the report is to occur within the TPZ without written approval by an AQF5 arborist.

8.2. **Tree 2**

Is a young mature frangipani which is located at the north western corner boundary of the subject property.

This tree is exempt from protection due to its small dimensions and it may be removed at the discretion of the owner.

This tree is in very close proximity to proposed works and is likely to conflict with necessary works.

Removal is therefore likely to be necessary if works proceed as planned.

8.3. **Tree 3**

Is an insignificant but mature weeping bottlebrush which is located at the north western boundary of the subject property.

This tree is exempt from protection due to its small dimensions and it may be removed at the discretion of the owner.

This tree is directly within the proposed paved pool surrounds and removal is necessary if works proceed as planned.

All other trees not listed specifically here are either insignificant and unprotected, had been removed since the survey was conducted, or will not be affected by the proposed development if protected in accordance with AS4970.

All tree protection measures must be installed in consultation with the project arborist before any phase of development related activity occurs (including demolition).

Parking of vehicles or storage of development related equipment and waste **shall not occur** within the NRZ of trees to be retained.

9. General Tree Protection Instructions

All other trees not listed specifically here will not be affected by the proposed development if protected in accordance with AS4970-2025.

All tree protection measures must be installed in consultation with the project arborist before any phase of development related activity occurs (including demolition).

Tree protection measures must be assessed by an AQF5 consulting arborist with a sufficient time allowance to make physical adjustments to protection measures in order to ensure efficacy of tree protection before any works commence.

Any soil disturbance in the form of trenching or fill placement or tunnelling for the installation of infrastructure including but not limited to pipes for communications, electrical, drainage, water or sewer must be considered in relation to retained trees and advice shall be sought from an AQF5 consulting arborist if any infrastructure as described above is proposed to be installed within the TPZ radius for any tree to be retained.

Ground protection to protect the soil within the TPZ may be utilised as an alternative to erecting a fenced exclusion zone if the practicalities of the development process necessitates it.

If ground protection is used as an alternative to protective fencing, the ground surface within the TPZ is to be protected in accordance with Section 4.5.3 of AS4970 and a thick (200-300mm) layer of wood chip mulch is to be placed on the ground within the TPZ and load spreading plates, rumble boards or heavy timber planking is to be placed on top of the mulch and strapped together to prevent movement so as to spread the load and to prevent compaction of the soil.

The level of soil protection and materials to be used within the TPZ will vary depending on the plant proposed to be utilised and specific protection measures will need to be discussed and agreed upon in writing by the project manager and an AQF5 qualified arborist before works commence.

10. Tree protection zone information

- NRZ - (Notional Root Zone) Zone enclosed by a radius of 12 times DSH (diameter at standard height) that is the primary trigger for arboricultural input on a development site.
- TPZ- (Tree protection zone) Specified zone above and below ground and at given offsets from the trunk, set aside to protect a tree's roots and crown where these might be damaged by development.
- SRZ- (Structural root zone) The SRZ is the area required for tree stability. A larger area is required to maintain a viable tree.
- Any trees recorded within the scope of this assessment that are to be retained shall be protected by a physical TPZ exclusion zone at least to the NRZ area and as indicated at Appendix 4 Images of this document and in consultation with the project arborist.
- It is strongly recommended that a copy of this standard is obtained by the project manager as a reference before any work commences on site.
- Tree protection zones shall be established in accordance with Section 4 of AS 4970-2025 before commencement of any other demolition or construction work. This will include trunk, branch and ground protection if considered necessary by the project arborist and also placement of appropriate and compliant TPZ signage to the physical TPZ fence.
- The TPZ shall remain until the completion of all demolition and construction related activity.
- Any pruning and tree work recommended are to be conducted by a certificate 3 (minimum) qualified and experienced arborist and work is to be conducted according to AS4373: Pruning of Amenity Trees.
- Consent to prune trees may be required from the tree owners and Council.
- Establishment and erection of tree protection zone and signage should be inspected and certified by the project arborist to ensure compliance with the standard.
- Unless approved by the project arborist beforehand, no activity as detailed in section 4.2 of AS 4970-2025 Protection of Trees on Development Sites and Section 10 of this document is to occur within the TPZ.

10.1. Activities prohibited within the Tree Protection Zone

- Modification of existing soil levels
- Excavations and trenching
- Cultivation of the soil
- Mechanical removal of vegetation
- Soil disturbance
- Movement of natural rock
- Storage of materials, plant or equipment
- Erection of site sheds
- Affixing of signage or hoarding to the trees
- Preparation of building materials
- Disposal of waste materials and chemicals
- Lighting fires
- Refuelling
- Movement of pedestrian or vehicular traffic
- Temporary or permanent location of services, or the works required for their installation
- Any other activities that may cause damage to the tree.

References

- NSW Rural Fire Service 10/50 Vegetation Clearing Code of Practice
- Central Coast Consolidated DCP 2022_3.5 Tree and Vegetation Management
- Standards Australia (2025) "AS4970: Protection of trees on development sites"
- Standards Australia (2007) "AS4373: Pruning of Amenity Trees"
- http://www.treetec.net.au/TPZ_SRZ_DBH_calculator.php
- http://www.proofdocs.com/arborist_report_template/tpz_incursion_calculator/
- Mattheck, C., Breloer, H (1994) The Body Language of Trees- A handbook for failure analysis . HMSO, London.

Glossary of terms used

- DSH (Diameter at Standard Height) Trunk diameter at 1.4m above ground level
- NRZ (Notional Root Zone) Zone enclosed by a radius of 12 times DSH (that is the primary trigger for arboricultural input on a development site.
- SRZ (Structural Root Zone) Theoretical area around the base of a tree required for the tree's stability in the ground
- TPZ (Tree Protection Zone) Specified zone above and below ground and at given offsets from the trunk, set aside to protect a tree's roots and crown where these might be damaged by development.

Qualifications and experience (Michael Shaw)

Practising AQF level 5 consulting arborist from 2009 - present

AQF level 5 Diploma of Horticulture (Arboriculture)

Licensed QTRA practitioner (quantitative tree risk assessment)

Licensed VALID Tree Risk assessment practitioner April 2021

ISA Tree risk assessment qualification (TRAQ) October 2013

Senior Tree Risk Assessment Officer (Central Coast Council) Sep 2015- Dec 2017

Part time contractor as a Tree Management Officer at Lane Cove, Strathfield and Hornsby Councils between 2013-2015

Tree Assessment and Vegetation Management Officer Port Stephens Council from September 2009 - Dec 2011

ISA conference Canberra 2017

VTA (visual tree assessment) workshop March 2011 and March 2013

ISA 87th annual Conference delegate, Parramatta NSW July 2011.

Matheny & Clark "Arboriculture" Seminar. Melbourne November 2009

Specialising in arboriculture and tree assessment from Feb 2008

Certificate 3 Horticulture (Parks and gardens)

Working in horticultural industry from April 2004

Appendix 1 Tree AZ

Category Z: Unimportant trees not worthy of being a material constraint

Local policy exemptions: Trees that are unsuitable for legal protection for local policy reasons including size, proximity and species

Z1	Young or insignificant small trees, i.e. below the local size threshold for legal protection, etc
Z2	Too close to a building, i.e. exempt from legal protection because of proximity, etc
Z3	Species that cannot be protected for other reasons, i.e. scheduled noxious weeds, out of character in a setting of acknowledged importance, etc

High risk of death or failure: Trees that are likely to be removed within 10 years because of acute health issues or severe structural failure

Z4	Dead, dying, diseased or declining
Z5	Severe damage and/or structural defects where a high risk of failure cannot be satisfactorily reduced by reasonable remedial care, i.e. cavities, decay, included bark, wounds, excessive imbalance, overgrown and vulnerable to adverse weather conditions, etc
Z6	Instability, i.e. poor anchorage, increased exposure, etc

Excessive nuisance: Trees that are likely to be removed within 10 years because of unacceptable impact on people

Z7	Excessive, severe and intolerable inconvenience to the extent that a locally recognised court or tribunal would be likely to authorise removal, i.e. dominance, debris, interference, etc
Z8	Excessive, severe and intolerable damage to property to the extent that a locally recognised court or tribunal would be likely to authorise removal, i.e. severe structural damage to surfacing and buildings, etc

Good management: Trees that are likely to be removed within 10 years through responsible management of the tree population

Z9	Severe damage and/or structural defects where a high risk of failure can be temporarily reduced by reasonable remedial care, i.e. cavities, decay, included bark, wounds, excessive imbalance, vulnerable to adverse weather conditions, etc
Z10	Poor condition or location with a low potential for recovery or improvement, i.e. dominated by adjacent trees or buildings, poor architectural framework, etc
Z11	Removal would benefit better adjacent trees, i.e. relieve physical interference, suppression, etc
Z12	Unacceptably expensive to retain, i.e. severe defects requiring excessive levels of maintenance, etc

NOTE: Z trees with a high risk of death/failure (Z4, Z5 & Z6) or causing severe inconvenience (Z7 & Z8) at the time of assessment and need an urgent risk assessment can be designated as ZZ. ZZ trees are likely to be unsuitable for retention and at the bottom of the categorisation hierarchy. In contrast, although Z trees are not worthy of influencing new designs, urgent removal is not essential and they could be retained in the short term, if appropriate.

A Category A: Important trees suitable for retention for more than 10 years and worthy of being a material constraint

A1	No significant defects and could be retained with minimal remedial care
A2	Minor defects that could be addressed by remedial care and/or work to adjacent trees
A3	Special significance for historical, cultural, commemorative or rarity reasons that would warrant extraordinary efforts to retain for more than 10 years
A4	Trees that may be worthy of legal protection for ecological reasons (Advisory requiring specialist assessment)

NOTE: Category A1 trees that are already large and exceptional or have the potential to become so with minimal maintenance, can be designated as AA at the discretion of the assessor. Although all A and AA trees are sufficiently important to be material constraints, AA trees are at the top of the categorisation hierarchy and should be given the most weight in any selection process.

Appendix 2 Landscape significance and tree retention determination

Tree Significance - Assessment Criteria



1. High Significance in landscape

- The tree is in good condition and good vigour;
- The tree has a form typical for the species;
- The tree is a remnant or is a planted locally indigenous specimen and/or is rare or uncommon in the local area or of botanical interest or of substantial age;
- The tree is listed as a Heritage Item, Threatened Species or part of an Endangered ecological community or listed on Councils significant Tree Register;
- The tree is visually prominent and visible from a considerable distance when viewed from most directions within the landscape due to its size and scale and makes a positive contribution to the local amenity;
- The tree supports social and cultural sentiments or spiritual associations, reflected by the broader population or community group or has commemorative values;
- The tree's growth is unrestricted by above and below ground influences, supporting its ability to reach dimensions typical for the taxa *in situ* - tree is appropriate to the site conditions.

2. Medium Significance in landscape

- The tree is in fair-good condition and good or low vigour;
- The tree has form typical or atypical of the species;
- The tree is a planted locally indigenous or a common species with its taxa commonly planted in the local area
- The tree is visible from surrounding properties, although not visually prominent as partially obstructed by other vegetation or buildings when viewed from the street,
- The tree provides a fair contribution to the visual character and amenity of the local area,
- The tree's growth is moderately restricted by above or below ground influences, reducing its ability to reach dimensions typical for the taxa *in situ*.

3. Low Significance in landscape

- The tree is in fair-poor condition and good or low vigour;
- The tree has form atypical of the species;
- The tree is not visible or is partly visible from surrounding properties as obstructed by other vegetation or buildings,
- The tree provides a minor contribution or has a negative impact on the visual character and amenity of the local area,
- The tree is a young specimen which may or may not have reached dimension to be protected by local Tree Preservation orders or similar protection mechanisms and can easily be replaced with a suitable specimen,
- The tree's growth is severely restricted by above or below ground influences, unlikely to reach dimensions typical for the taxa *in situ* - tree is inappropriate to the site conditions,
- The tree is listed as exempt under the provisions of the local Council Tree Preservation Order or similar protection mechanisms,
- The tree has a wound or defect that has potential to become structurally unsound.

Environmental Pest / Noxious Weed Species

- The tree is an Environmental Pest Species due to its invasiveness or poisonous/ allergenic properties,
- The tree is a declared noxious weed by legislation.

Hazardous/Irreversible Decline

- The tree is structurally unsound and/or unstable and is considered potentially dangerous,
- The tree is dead, or is in irreversible decline, or has the potential to fail or collapse in full or part in the immediate to short term.

The tree is to have a minimum of three (3) criteria in a category to be classified in that group.

Note: The assessment criteria are for individual trees only, however, can be applied to a monocultural stand in its entirety e.g. hedge.

Table 1.0 Tree Retention Value - Priority Matrix.

		Significance				
		1. High	2. Medium	3. Low		
		Significance in Landscape	Significance in Landscape	Significance in Landscape	Environmental Pest / Noxious Weed Species	Hazardous / Irreversible Decline
Estimated Life Expectancy	1. Long >40 years					
	2. Medium 15-40 Years					
	3. Short <1-15 Years					
	Dead					

Legend for Matrix Assessment

	Priority for Retention (High) - These trees are considered important for retention and should be retained and protected. Design modification or re-location of building/s should be considered to accommodate the setbacks as prescribed by the Australian Standard AS4970 <i>Protection of trees on development sites</i> . Tree sensitive construction measures must be implemented e.g. pier and beam etc if works are to proceed within the Tree Protection Zone.
	Consider for Retention (Medium) - These trees may be retained and protected. These are considered less critical; however their retention should remain priority with removal considered only if adversely affecting the proposed building/works and all other alternatives have been considered and exhausted.
	Consider for Removal (Low) - These trees are not considered important for retention, nor require special works or design modification to be implemented for their retention.
	Priority for Removal - These trees are considered hazardous, or in irreversible decline, or weeds and should be removed irrespective of development.




Appendix 3 Tree survey data table

Significantly affected trees requiring removal or trees proposed for removal in red text

Tree ID	Botanical and common name	DSH cm / NRZ m / SRZ m	Height x radial canopy spread m	Age	Estimated life expectancy	Landscape significance (STARS)	Retention value (STARS)	Vigour and health (% of live canopy)	Tree AZ	Features/Comments
1	<i>Lophostemon confertus</i> (Brush box)	85cm _10.2m_3.2m	10x12	Mature	Long >40 years	Medium	High	Good(80-100% live foliage)	A1 No significant defects and could be retained with minimal remedial care	Street tree. DSH measured below junction
2	<i>Plumeria acutifolia</i> (frangipani)	15cm_2.0m_2.0m	2.5x2.5	Young mature (mature but still young)	Medium 15-40 years	Low	Low	Good(80-100% live foliage)	"Z1 Young or insignificant small trees, i.e. below the local size threshold for legal protection, etc"	Exempt dimensions
3	<i>Callistemon viminalis</i> (Weeping bottlebrush)	15cm_2.0m_2.0m	3x3	Mature	Medium 15-40 years	Low	Low	Good(80-100% live foliage)	"Z1 Young or insignificant small trees, i.e. below the local size threshold for legal protection, etc"	Exempt dimensions
4	<i>Hibiscus sp</i>	10cm_2.0m_2.0m	2.5x2.5	Mature	Short 5-15 years	Low	Low	Good(80-100% live foliage)	"Z1 Young or insignificant small trees, i.e. below the local size threshold for legal protection, etc"	Exempt dimensions. Not affected by obvious works.
5	<i>Syagrus romanzoffiana</i> (Cocos palm)	40cm_2m	10x8	Mature	Medium 15-40 years	Medium	Medium	Good(80-100% live foliage)	"Z3 Species that cannot be protected for other reasons, i.e. scheduled noxious weeds, out of character in a setting of acknowledged importance, etc"	Exempt species. Tree appears to be on public land just outside the subject property boundary. Not affected by obvious works.

Tree ID	Botanical and common name	DSH cm / NRZ m / SRZ m	Height x radial canopy spread m	Age	Estimated life expectancy	Landscape significance (STARS)	Retention value (STARS)	Vigour and health (% of live canopy)	Tree AZ	Features/Comments
6	<i>Brunfelsia pauciflora</i> (yesterday today and tomorrow)	Multiple leaders from base. Estimated diameter at base 15cm_2m	3x3	Mature	Medium 15-40 years	Low	Low	Good(80-100% live foliage)	"Z1 Young or insignificant small trees, i.e. below the local size threshold for legal protection, etc"	Street tree (shrub). Not affected by obvious works.
7	<i>Cupressus sempervirens</i> (pencil pine)	15cm_2m_2m	5x1	Mature	Medium 15-40 years	Medium	Medium	Good(80-100% live foliage)	A1 No significant defects and could be retained with minimal remedial care	Neighbouring tree. Not affected by obvious works.
8	<i>Cupressus sempervirens</i> (pencil pine)	15cm_2m_2m	5x1	Mature	Medium 15-40 years	Medium	Medium	Good(80-100% live foliage)	A1 No significant defects and could be retained with minimal remedial care	Neighbouring tree. Not affected by obvious works.
9	<i>Camellia sasanqua</i> (sasanqua camellia)	15cm_2m_2m	1.5x1.5	Mature	Medium 15-40 years	Low	Low	Good(80-100% live foliage)	"Z1 Young or insignificant small trees, i.e. below the local size threshold for legal protection, etc"	Exempt dimensions. Not affected by obvious works. May be retained or removed at the owner's discretion.

Appendix 4 Images (Tree protection plan / Google Earth image with plans and tree locations overlaid)



Michael Shaw AQF5 Consulting Arborist

Mobile 0403 39114

Web <http://msconsultingarborist.com.au/>