

Telephone: 1300 463 954
Please Quote: DA/1301/2022
Responsible Officer: Brad Reilly



Mr M Cassidy
33 Hanlan St S
NARARA NSW 2250

Notice of Determination of a Development Application
issued under the *Environmental Planning and Assessment Act 1979*
Sections 4.16, 4.17 and 4.18(1)(a)

Development Application No: DA/1301/2022
Applicant: Mr M Cassidy
Property Address: Lot 22 DP 709308
20 Homan Close, UMINA BEACH NSW 2257
Proposal: Pool Cabana & Retaining Walls
Determination: Approved
Determination Date: 21 July 2022

Date from which this consent operates

In accordance with Section 4.20 of the *Environmental Planning and Assessment Act 1979*, this consent becomes effective and operates from the date of this notice being 21 July 2022.

Consent to lapse on

21 July 2027

Imposition of conditions

Subject to the provisions of Section 4.17 of the Act this Consent has been granted subject to conditions annexed to this consent.

Review of Determination

Subject to provisions of Sections 8.2, 8.3, 8.4 and 8.5 of the Act the applicant may make an application seeking a review of this determination, providing it is made in time for Council to determine the review within six (6) months of this determination.

Right of Appeal

Sections 8.7 and 8.10 of the Act confers on an applicant who is dissatisfied with the determination of a consent authority a right of appeal to the Land and Environment Court within six (6) months, from the date of determination.



On behalf of the consent authority
David Farmer
Chief Executive Officer

Per:



Brad Reilly
BUILDING SURVEYOR

1. PARAMETERS OF THIS CONSENT

Approved Plans and Supporting Documentation

- 1.1 Development must be carried out in accordance with the following approved plans and supporting documentation (stamped by Council), except where the conditions of this consent expressly require otherwise.

Plan No.	Revision No.	Plan Title	Drawn By	Dated
A01		Site Plan	MJC	December 2021
A02		Floor Plan	MJC	December 2021
A03		Elevations	MJC	December 2021

Document Title	Version No.	Prepared by	Dated
Bushfire Assessment Report	GO:24753A	Clarke Dowdle & Associates	March 2022
Statement of Environmental Effects		MJC	Undated
Structural Engineering Detail	GCE21426 Rev A S001 – S004	Global Consulting Engineers	19 April 2022
Waste Management Plan		Mark Cassidy	20 March 2022

In the event of any inconsistency between the approved plans and the supporting documentation, the approved plans prevail. In the event of any inconsistency between the approved plans and a condition of this consent, the condition prevails.

Note: an inconsistency occurs between an approved plan and supporting documentation or between an approved plan and a condition when it is not possible to comply with both at the relevant time.

- 1.2. Carry out all building works in accordance with the National Construction Code Series, Building Code of Australia, Volume 1 and 2 as appropriate.

2. PRIOR TO ISSUE OF ANY CONSTRUCTION CERTIFICATE

- 2.1. All conditions under this section must be met prior to the issue of any Construction Certificate.



- 2.2. No activity is to be carried out on-site until the Construction Certificate has been issued, other than:
- a) Site investigation for the preparation of the construction, and / or
 - b) Implementation of environmental protection measures, such as erosion control and the like that are required by this consent
 - c) Demolition.
- 2.3. Before the issue of a construction certificate, the applicant is to ensure that the person liable pays the long service levy of \$ 315.00 as calculated at the date of this consent to the Long Service Corporation or Council under section 34 of the *Building and Construction Industry Long Service Payments Act 1986* and provides proof of this payment to the certifier.
- 2.4. Before the issue of a construction certificate, the applicant must ensure a construction site management plan is prepared before it is provided to and approved by the certifier. The plan must include the following matters:
- location and materials for protective fencing and hoardings to the perimeter on the site
 - provisions for public safety
 - pedestrian and vehicular site access points and construction activity zones
 - details of construction traffic management, including proposed truck movements to and from the site and estimated frequency of those movements, and measures to preserve pedestrian safety in the vicinity of the site
 - protective measures for on-site tree preservation (including in accordance with AS 4970-2009 Protection of trees on development sites and Council's DCP, if applicable) and trees in adjoining public domain (if applicable)
 - details of any bulk earthworks to be carried out
 - location of site storage areas and sheds
 - equipment used to carry out all works
 - a garbage container with a tight-fitting lid
 - dust, noise and vibration control measures
 - location of temporary toilets.

The applicant must ensure a copy of the approved construction site management plan is kept on-site at all times during construction.

- 2.5. Before the issue of a construction certificate, the applicant is to ensure that a waste management plan is prepared in accordance with the EPA's Waste Classification Guidelines and the following requirements before it is provided to and approved by the certifier:
- (a) Council's Waste Management Development Control Plan OR
 - (b) details the following:
 - the contact details of the person(s) removing the waste
 - an estimate of the waste (type and quantity) and whether the waste is expected to be reused, recycled or go to landfill
 - the address of the disposal location(s) where the waste is to be taken.

The applicant must ensure the waste management plan is referred to in the construction site management plan and kept on-site at all times during construction.

- 2.6. Assessment of the development against the provisions of Planning for Bush Fire Protection (2019) (NSW) has determined a Bush Fire Attack level (BAL) of 40.

Submit to the Registered Certifier for approval construction details showing that the development complies with this Bush Fire Attack Level (BAL) as prescribed by Australian Standard AS 3959-2018: *Construction of buildings in bush fire prone areas and (where applicable) the additional measures contained within section 7.5.2 – 'NSW State variations to AS3959'* of Planning for Bush Fire Protection (2019) (NSW).

- 2.7. Submit an application to Council under section 305 of the Water Management Act 2000 for a section 306 Requirements Letter. The Application form can be found on Council's website centralcoast.nsw.gov.au. Early application is recommended.

The section 305 application will result in a section 306 letter of requirements which must be obtained prior to the issue of any Construction Certificate. The requirements letter will outline which requirements must be met prior to each development milestone e.g. prior to construction certificate, subdivision works certificate, occupation certificate and/or subdivision certificate.

3. PRIOR TO ISSUE OF ANY SUBDIVISION WORKS CERTIFICATE

No Conditions

4. PRIOR TO COMMENCEMENT OF ANY WORKS

- 4.1. All conditions under this section must be met prior to the commencement of any works.

- 4.2. Appoint a Principal Certifier for the building work:

- a) The Principal Certifier (if not Council) is to notify Council of their appointment and notify the person having the benefit of the development consent of any critical stage inspections and other inspections that are to be carried out in respect of the building work no later than two (2) days before the building work commences.
- b) Submit to Council a Notice of Commencement of Building Work form giving at least two (2) days' notice of the intention to commence building work. The forms can be found on Council's website: www.centralcoast.nsw.gov.au

- 4.3. Erect a sign in a prominent position on any work site on which building, subdivision or demolition work is being carried out. The sign must indicate:

- a) The name, address and telephone number of the Principal Certifier for the work; and
- b) The name of the principal contractor and a telephone number at which that person can be contacted outside of working hours; and
- c) That unauthorised entry to the work site is prohibited.
- d) Remove the sign when the work has been completed.

- 4.4. Provide and maintain a garbage receptacle at the work site until the works are completed. The garbage receptacle must have a tight-fitting lid and be suitable for food scraps and papers.
- 4.5. Install run-off and erosion controls to prevent soil erosion, water pollution or the discharge of loose sediment on the surrounding land by:
- erecting a silt fence and providing any other necessary sediment control measures that will prevent debris escaping into drainage systems, waterways or adjoining properties, and
 - diverting uncontaminated run-off around cleared or disturbed areas, and
 - preventing the tracking of sediment by vehicles onto roads, and
 - stockpiling top soil, excavated materials, construction and landscaping supplies and debris within the lot.
- 4.6. Disconnect, seal and make safe all existing site services prior to the commencement of any demolition on the site. Sewer and water services must be disconnected by a licensed plumber and drainer with a Start Work Docket submitted to Council's Plumbing and Drainage Inspector as the Water and Sewer Authority.
- 4.7. Erect a temporary hoarding or temporary construction site fence between the work site and adjoining lands before the works begin and must be kept in place until after the completion of the works, if the works:
- a) could cause a danger, obstruction or inconvenience to pedestrian or vehicular traffic, or
 - b) could cause damage to adjoining lands by falling objects, or
 - c) involve the enclosure of a public place or part of a public place.

Note 1: A structure on public land or on or over a public road requires the prior approval of the relevant authority under the *Local Government Act 1993* or the *Roads Act 1993*, respectively.

Note 2: The *Work Health and Safety Act 2011* and *Work Health and Safety Regulation 2011* contain provisions relating to scaffolds, hoardings and other temporary structures.

- 4.8. Provide or make available toilet facilities at the work site before works begin and maintain the facilities until the works are completed at a ratio of one toilet plus one additional toilet for every twenty (20) persons employed at the site.

Each toilet must:

- a) be a standard flushing toilet connected to a public sewer, or
 - b) have an on-site effluent disposal system approved under the *Local Government Act 1993*, or
 - c) be a temporary chemical closet approved under the *Local Government Act 1993*.
- 4.9. Undertake any demolition involving asbestos in accordance with the *Work Health and Safety Act 2011*.

The person having the benefit of this consent must ensure that the removal of:



- a) more than 10m² of non-friable asbestos or asbestos containing material is carried out by a licensed non-friable (Class B) or a friable (Class A) asbestos removalist, and
- b) friable asbestos of any quantity is removed by a licensed removalist with a friable (Class A) asbestos removal licence.

The licensed asbestos removalist must give notice to the regulator before work commences in accordance with Clause 466 of the *Work Health and Safety Regulation 2011*.

5. DURING WORKS

- 5.1. All conditions under this section must be met during works.
- 5.2. The principal certifier must ensure that building work, demolition or vegetation removal is only carried out between:

7.00 am and 5.00 pm on Monday to Saturday

The principal certifier must ensure building work, demolition or vegetation removal is not carried out on Sundays and public holidays, except where there is an emergency.

Unless otherwise approved within a construction site management plan, construction vehicles, machinery, goods or materials must not be delivered to the site outside the approved hours of site works.

Note: Any variation to the hours of work requires Council's approval.

- 5.3. While demolition or building work is being carried out, all such works must cease immediately if a relic or Aboriginal object is unexpectedly discovered. The applicant must notify the Heritage Council of NSW in respect of a relic and notify the Secretary of the Department of Planning, Industry and Environment and the Heritage Council of NSW in respect of an Aboriginal object. Building work may recommence at a time confirmed by either the Heritage Council of NSW or the Secretary of the Department of Planning, Industry and Environment.

In this condition:

"relic" means any deposit, artefact, object or material evidence that:

- (a) relates to the settlement of the area that comprises New South Wales, not being Aboriginal settlement, and
- (b) is of State or local heritage significance; and

"Aboriginal object" means any deposit, object or material evidence (not being a handicraft made for sale) relating to the Aboriginal habitation of the area that comprises New South Wales, being habitation before or concurrent with (or both) the occupation of that area by persons of non-Aboriginal extraction and includes Aboriginal remains. To ensure the protection of objects of potential sign

- 5.4. Implement and maintain all erosion and sediment control measures at or above design capacity for the duration of the construction works and until such time as all ground disturbed by the works has been stabilised and rehabilitated so that it no longer acts as a source of sediment.
- 5.5. Keep a copy of the stamped approved plans on-site for the duration of site works and make the plans available upon request to either the Principal Certifier or an officer of Council.
- 5.6. Place all building materials, plant and equipment on the site of the development during the construction phase of the development so as to ensure that pedestrian and vehicular access within adjoining public roads, footpaths and reserve areas, is not restricted and to prevent damage to public infrastructure. Further, no construction work is permitted to be carried out within the road reserve unless the works are associated with a separate approval issued under the provisions of the *Roads Act 1993*.
- 5.7. While building work is being carried out and where no noise and vibration management plan is approved under this consent, the applicant is to ensure that any noise caused by demolition, vegetation removal or construction does not exceed an LAeq (15 min) of 5dB(A) above background noise, when measured at any lot boundary of the property where the construction is being carried out.
- 5.8. Cease all excavation works if acid sulfate soils are identified until such time as details of mitigation and treatment measures are submitted to, and approved by, the Principal Certifier.
- 5.9. Connect downpipes and the associated stormwater disposal system to the site stormwater connection point immediately after the roof materials are positioned in order to prevent erosion of the site from roof water run-off. The Principal Certifier for the development must not issue a mandatory critical stage Compliance Certificate for framing unless connection of the site stormwater (or temporary system) has occurred.
- 5.10. Re-use, recycle or dispose of all building materials in accordance with the Waste Management Plan submitted with the subject application.
- 5.11. Erect or install prior to the swimming pool being filled with water all the required swimming pool safety barriers and gates in accordance with the approved plans and specifications and the provisions of the *Swimming Pools Act 1992*, *Swimming Pools Regulation 2018* and Australian Standard AS 1926.1-2012 including the display of an approved sign regarding pool safety and resuscitation techniques that contains all of the following information:
- "YOUNG CHILDREN SHOULD BE SUPERVISED WHEN USING THIS SWIMMING POOL"
 - "POOL GATES MUST BE KEPT CLOSED AT ALL TIMES"
 - "KEEP ARTICLES, OBJECTS AND STRUCTURES AT LEAST 900mm CLEAR OF THE POOL FENCE AT ALL TIMES"
 - A simple flow sequence (which may be the flow sequence depicted in the Cardiopulmonary Resuscitation Guideline) containing details of resuscitation techniques (for infants, children and adults)
- 5.12. Do not fill the swimming pool with water until the common boundary fence forming part of the pool enclosure has been installed with a minimum height of 1.8 metres when measured inside

the pool enclosure in accordance with the provisions of Australian Standard AS 1926.1 2012. The maintenance and effectiveness of the fence is the responsibility of the pool owner whilst ever the pool exists.

Alternatively, the pool must be fully enclosed by swimming pool safety fencing complying with the provisions of Australian Standard AS 1926.1-2012 in lieu of any boundary fencing.

- 5.13. Demolish all buildings and / or building components in a safe and systematic manner in accordance with Australian Standard AS 2601-2001: *The demolition of structures*. Waste materials must be disposed of at a waste management facility.
- 5.14. No fill other than that as indicated within the approved plans is permitted to be placed upon the site.

6. PRIOR TO ISSUE OF ANY OCCUPATION CERTIFICATE

- 6.1. All conditions under this section must be met prior to the issue of any Occupation Certificate.
- 6.2. Complete the building in accordance with the relevant provisions and requirements of the National Construction Code Series.
- 6.3. Complete the building in accordance with the provisions of *Planning for Bush Fire Protection 2019 (NSW)* and the requirements of Australian Standard AS 3959-2018 - *Construction of Buildings in Bush Fire Prone Areas* and additional measures contained within section 7.5.2 – 'NSW State variations to AS3959' of *Planning for Bush Fire Protection (2019) (NSW)* for a Bush Fire Attack Level of BAL 40.
- 6.4. Install a material or device to prevent the build-up of flammable material (such as leaf matter) within the roof gutters. The material or device must have a flammability index of not greater than 5 when tested in accordance with Australian Standard AS 1530.2-1993: *Methods for fire tests on building materials, components and structures - Test for flammability of materials*.
- 6.5. Drain all roof water by a piped drainage line to the street kerb outlet / an interallotment drainage line / an infiltration trench.

Note: Infiltration trench details are to be designed by a practicing engineer experienced in hydraulics. The design details are to cater for a 1 in 20 year Annual Exceedance Probability (AEP) storm event and are to allow for a minimum setback of three (3) metres from any sewer main and lot boundaries.

- 6.6. Prior to the occupation or use of the building/structure, an application for an Occupation Certificate for the development must be submitted to and approved by the Principal Certifier. The Occupation Certificate application is to satisfy all of the requirements of the *Environmental Planning and Assessment (Development Certification and Fire Safety) Regulation 2021*.

- 6.7. Obtain the Section 307 Certificate of Compliance under the *Water Management Act 2000* for water and sewer requirements for the development from Central Coast Council as the Water Supply Authority, prior to issue of the Occupation Certificate.

7. PRIOR TO ISSUE OF ANY SUBDIVISION CERTIFICATE

No Conditions

8.. PRIOR TO OCCUPATION OF THE MANUFACTURED HOME

No Conditions

9. ONGOING

- 9.1. Implement the required Asset Protection Zone to the perimeter of the asset. The Asset Protection Zone must be fuel managed so as to maintain fuel loadings as detailed within *Planning for Bush Fire Protection Guidelines 2006 (NSW)*.

10. PENALTIES

Failure to comply with this development consent and any condition of this consent may be a **criminal offence**. Failure to comply with other environmental laws may also be a **criminal offence**.

Where there is any breach Council may without any further warning:

- Issue Penalty Infringement Notices (On-the-spot fines);
- Issue notices and orders;
- Prosecute any person breaching this consent, and/or
- Seek injunctions/orders before the courts to retain and remedy any breach.

Warnings as to Potential Maximum Penalties

Maximum Penalties under NSW Environmental Laws include fines up to \$1.1 Million and/or custodial sentences for serious offences.

ADVISORY NOTES

- Discharge of sediment from a site may be determined to be a pollution event under provisions of the *Protection of the Environment Operations Act 1997*. Enforcement action may commence where sediment movement produces a pollution event.
- The following public authorities may have separate requirements in the following aspects:
 - a) Australia Post for the positioning and dimensions of mail boxes in new commercial and residential developments



- b) Jemena Asset Management for any change or alteration to the gas line infrastructure
- c) Ausgrid for any change or alteration to electricity infrastructure or encroachment within transmission line easements
- d) Telstra, Optus or other telecommunication carriers for access to their telecommunications infrastructure
- e) Central Coast Council in respect to the location of water, sewerage and drainage services.
- Carry out all work under this Consent in accordance with SafeWork NSW requirements including the *Workplace Health and Safety Act 2011 No 10* and subordinate regulations, codes of practice and guidelines that control and regulate the development industry.
- Dial Before You Dig
Underground assets may exist in the area that is subject to your application. In the interests of health and safety and in order to protect damage to third party assets please contact Dial Before You Dig at www.1100.com.au or telephone on 1100 before excavating or erecting structures. (This is the law in NSW). If alterations are required to the configuration, size, form or design of the development upon contacting the Dial Before You Dig service, an amendment to the development consent (or a new development application) may be necessary. Individuals owe asset owners a duty of care that must be observed when working in the vicinity of plant or assets. It is the individual's responsibility to anticipate and request the nominal location of plant or assets on the relevant property via contacting the Dial Before You Dig service in advance of any construction or planning activities.
- Telecommunications Act 1997 (Commonwealth)
Telstra (and its authorised contractors) are the only companies that are permitted to conduct works on Telstra's network and assets. Any person interfering with a facility or installation owned by Telstra is committing an offence under the *Criminal Code Act 1995 (Cth)* and is liable for prosecution. Furthermore, damage to Telstra's infrastructure may result in interruption to the provision of essential services and significant costs. If you are aware of any works or proposed works which may affect or impact on Telstra's assets in any way, you are required to contact: Telstra's Network Integrity Team on phone number 1800 810 443.